

In meeting New Zealand's Renewable Energy Target and Beyond

Allan Miller, Director

New Zealand Wind Energy Association Conference Workshop, 13 April 2017















Energy requirements to meet 90% and 100% renewable electricity

Renewable wind generation and grid security

The Future: beyond 100% renewable electricity to renewable energy



#### Energy requirements to meet 90% and 100% renewable energy



- 90%: 34,000 GWh to 37,800 GWh (difference = 4,200 GWh)
- 100%: 34,000 GWh to 42,000 GWh (difference = 8,000 GWh)



### Energy requirements to meet 90% and 100% renewable energy





3,000 MW consented wind generation ≡ ~10,500 GWh



300 MW consented  $\equiv$  ~2,400 GWh



1,000 MWp solar PV (215 Wp/p) =  $^{\sim}$ 3,700 GWh



## Renewable wind generation and grid security




Can the grid cope with 3,000 MW of wind?



#### Increasing wind generation – impact on variability








## Increasing wind generation – impact on contingency management?







# The Future: electrification to reduce greenhouse gas emissions



- Current annual electricity generation:
  - > 42,000 GWh (34,000 GWh of this is renewably generated)
- Current annual replaceable non-renewable fuel use in transport and stationary energy (excluding air transport):
- Annual energy requirement from same processes powered by electricity:
- Reduction in delivered energy requirements for transport and stationary energy:
- Increase in renewable electricity generation requirements:
- Reduction in New Zealand's CO<sub>2</sub> emissions:



#### Conclusion



- Planned wind is sufficient to meet 100% renewable energy in NZ
- Technically possible, but will require more ancillary services
- More geothermal and wind generation will be required beyond this to meet New Zealand's climate change NDC

#### **Problem Statement:**

- Is there sufficient incentive to build more wind generation to reach 100% renewable energy in NZ
- If not, how do we ensure sufficient incentive?











#### TRANSPOWER



Members



































